

140 Vol. 1.

From Dr. GOWERS, 50, Qu



59



60

From Dr. GOWERS, 50, Queen Anne St., London, W.



Reduce to 2 1/2 inches wide
one block.

From Dr. GOWERS, 60, Queen Anne St., London, W.

944 3
June tone



Reduce to 10 square inches

not ~~more~~ to be larger

94~~4~~8

fine tone





St Ewen's Cat.





96 Vol. 2.



61

een Anne St., London, W.







199





102

Reduce to $2\frac{1}{4}$ inches wide
as the both



[redacted]

24. 5. 30. D79

Pro excepta P.A.
in calcaneum



Optic neuritis (double)
(probably syphilitic growth in brain) Recovery
sight perfect











Reduce to 3/4 measure width
and = 4 blocks

110 3/4 "

Powers
50 Queen Anne St.



Eq.

Make block

1158





reduce 3 ½

Divide in two blocks
Drawn for reduction to 2/3 of they possibly can be

2381

From Dr. GOWERS, 60, Queen Anne St., London, W.



R.



L.

54

2 1/4 "

photo Monday 10 am
Block a 5 pm

Queen Anne St., London, W1



3" wide



Reduce to 3 inches wide
One block

99

Wanted April 3





ad h. Orbic thalamum
pon hepar





F. of Ro.—Fissure of Rolando, displaced forwards, and curved by pressure of tumour behind it. *Ext. P.oc.f.*—External parieto-occipital fissure. *F. Sy. Post.*—Posterior (horizontal) limb of the fissure of Sylvius. *F. Sy. ant.*—Anterior limb of fissure of Sylvius. *Tr. Fr. F.*—Transverse frontal fissure (præcentral sulcus). *Intra-P. f.*—Intra-parietal fissure, displaced downwards by the pressure of the tumour.

Tumour of left hemisphere of brain.

Its beginning in right hand tapping up arm & down side & leg



Fig. 7.



Fig 8

W.H. Gowers del. G.H. Ford lith.

Mintern Bros. imp.



13 106

[redacted]

ct. 30 –

April 10th 83



CORTEX



INTERNAL CAPSULE



CRUS



PONS



MEDULLA



CORD









INTERNAL CAPSULE



CORTEX



Ry 21

4 hi





a



b



c

15 147

reduce to 2½ inches wide
(one block

From Dr. GOWERS, 50, Queen Anne St., London, W.



22

Mese two on one block

Photo
Jesse
Frantz Bneo



49

Museum Wormianum Deltoides
Incisus supra sparsim infra asperulus





15



131

Tumour of Pons Varolii from Burg. æt 8.
Paralysis of R. 5.th 6.th & 7.th nerves. — left Arm & Leg

1159

1/2 oc

1159

1/2 oc





Two blocks Reduced to 1/2 diameter
Send to Adland blocks & drawings
(electrons 4 m)

From Dr. GOWERS, 50, Queen Anne St., London, W.

Jy 156
p 894 ms

Jy 155
p 879 q
ms



Reduce to 2 inches wide
& divide into two blocks,

Zy 24





122

To be better worked than these.
[illegible]



Fig 124

Fig 123















Make 1 block
Same as
Warden Ward
15

From Dr. GOWERS, 50, Queen Anne St., London, W.



132

120

4"w.



Reduced to 1 3/4 inch wide

12" Vol 1

L21 24

3¾ W.





Reduce to $3\frac{3}{4}$ inches wide

two blocks

Send to Atlas

Ig 160

Ig 163



50

Kate Lake 21-12-85

1



(126)

149

Reduce to 2/3 if possible: if not as much as [illegible]

156



5" ev.

504

A/26:7:86

Reduce to 5 inches ~~high~~ long and divide into two

Wanted March 8th

From Dr. GOWERS, 50, Queen Anne St., London, W.





1302

1/2 Sc.

one block
Olga Retnet



132

129





130











161

162

From Dr. GOWERS, 50, Queen Anne St., London, W.



160



Original delivered to Adlard today.


OP. TH.
ANT. CAP.
P C
Aq
P
L
R N
LB
LENT.
LENT
LOOP
SCLB. NIG.
N.
CRUSTA
III
OP.
T.

Fig 48 2½" w

Sheet 3




A
S
ar
al
ac
ca
a
ml
mc
nl
nc
ni
nm

177.1.91 3/1 scale



A



B



C

(5)

142 Yards

Reduce to $2\frac{3}{4}$ inches wide — 1 block

(1205)

From Dr. GOWERS, 50, Queen Anne St., London, W.







Reduce to 2 inches wide
1 block

Zy 54

Sheet 4





B



C



D



E



F



G

98

Re block W 23.8.86 98 774

Reduce to 6 mt

by [illegible] 37



93

93

P. Thursday
B. Saturday





"Sorry,
wrong
number!"



Reduce to 4 inches wide



Reduce by 4 inches each

Fig 43

Sheet 4

85



4" wide









121



48. Vol. 1.


FR
FRONTAL LOBE
U. Fr. (1)
A.P.
A.Fr.
POF
M. Fr.
(2)
F. Sy. Post.
L.Fr.
(3)


FRONTAL LOBE
MARGINAL C.
FR
G. FORNICATUS
QUADRATE L.
POF
OCCIPITAL L.
CUNEUS

24

Sheet 4

45

81

2½



Reduce to 3 1/4 inches wide

Fig 4





Reduce to $2\frac{1}{4}$ inches wide
2 blocks

Fig. 26.



Fig 25

1342

2/4 w.





Deduce a little







86

(674)

4" wide

A
12:3.86

← 4" →

Reduce to 4 inches total with one block
Wanted March 20th

Myelitis

A middle l. ant. corn.

B ant. pt. of post. col.

C post. part of post. col.

Becks can





126


C
3
3
C
V
V'

3903



Reduced to 2 inches wide



blocks at the red line


L PT
PMC
PEC



Reduce to 2 1/2 inches wide divide into 2 blocks

Fig 3

45

2½ w

129





130

80

2/4 0

Reduce to 2 1/4 inches wide —
on block

From Dr. GOWERS, 60, Queen Anne St., London, W.















Reduce to 4 inches and divide into six blocks

112 4"w.



104











1148

Reduce to 2 [illegible] wide [illegible]
into two bla[illegible]



24 18

2156/2



Reduce to 4 inches wide.



Reduce to 2½ inches wide

2g 70

Sheet 1369















Cut as into 4 by as indicated
by arrows

reduce to 4 inches wide at top

85



114



١٢٤



72

Reduce to 5 in long and divide into two blocks at blue line



A
9.3.86

623

1½ w.

Reduce to 1½ inches wide 73



135

96

Dr. GOWERS, 50, Queen Anne St., London, W.



2. Bartholome

March 12.

Contracted Palmar Fascia

4th finger can be nearly extended fully. The 3rd finger le
can scarcely be extended at all. The "median portion" of the
fascia can be felt as a firm tendinous band passing
finger. The "inner lateral portion" is also to be felt passing
finger. The outer lateral portion cannot be felt. The gra
set gradual. Pt's works compelled him to be frequ
cutting tin with Shears.



Allan

p of Allan





53 VH, 1

Wed Evening

F. Thursday

B. Saturday